

## **PI Technical Specification**

### **POP ICO**

| ERP | INVOIC.INVOIC02

**Description: Generated for dir://IFLOW/INVOICE\_to\_INVOIC96Consolidation  
'INVOICE\_to\_INVOIC96Consolidation'**

## Contents

<b>1.</b>	<b>SYSTEM LANDSCAPE DIRECTORY</b>	<b>3</b>
<b>1.1</b>	<b>SOFTWARE COMPONENTS</b>	<b>3</b>
<b>2.</b>	<b>ENTERPRISE SERVICES REPOSITORY (ESR)</b>	<b>4</b>
<b>2.1</b>	<b>INTEGRATION PROCESSES</b>	<b>4</b>
<b>2.2</b>	<b>OPERATION MAPPINGS</b>	<b>4</b>
2.2.1	OM_INVOIC02_TO_INVOIC96A	4
<b>2.3</b>	<b>SERVICE INTERFACES</b>	<b>5</b>
2.3.1	SENDER INTERFACES	5
2.3.2	RECEIVER INTERFACES	5
2.3.3	MESSAGE TYPES	5
2.3.4	DATA TYPES	5
<b>2.4</b>	<b>IDocs</b>	<b>6</b>
<b>3.</b>	<b>INTEGRATION DIRECTORY</b>	<b>7</b>
3.0.1	INTEGRATED CONFIGURATIONS	7
3.0.1.1	ERP   INVOIC.INVOIC02	7
3.0.2	COMMUNICATION CHANNELS	8
3.0.2.1	ERP   FileSenderInvoic	8
3.0.2.2	B2BCorrelation   RESTB2BCorrelation	9
<b>4.</b>	<b>MAPPING SPECIFICATIONS</b>	<b>12</b>
<b>4.1</b>	<b>MM_INVOIC02_TO_INVOIC96A</b>	<b>12</b>

## 1. System Landscape Directory

### 1.1 Software Components

**2. Enterprise Services Repository (ESR)**

**2.1 Integration Processes**

**2.2 Operation Mappings**

**2.2.1 OM\_INVOIC02\_TO\_INVOIC96A**

<b>Operation Mapping Name</b>	OM_INVOIC02_TO_INVOIC96A
<b>Namespace</b>	http://arianim.com/edi/sales
<b>SWCV</b>	SALES, 1.0 of arianim.com
<b>Description</b>	
<b>Use SAP XML Toolkit</b>	No
<b>Do not resolve XOP</b>	No
<b>Read Attachments</b>	
<b>Multiplicity</b>	1:1
<b>Source Operation Name</b>	INVOIC.INVOIC02
<b>Namespace</b>	urn:sap-com:document:sap:idoc:messages
<b>SWCV</b>	B2B MAPPING KIT 1.0
<b>Target Operation Name</b>	SI_INBOUND_EDI_EDIFACT_INVOIC
<b>Namespace</b>	http://arianim.com/edi/sales
<b>SWCV</b>	SALES, 1.0 of arianim.com
<b>Request</b>	
<b>Source Message Name</b>	INVOIC.INVOIC02
<b>Namespace</b>	urn:sap-com:document:sap:idoc:messages
<b>SWCV</b>	B2B MAPPING KIT 1.0
<b>Target Message Name</b>	INVOIC96A
<b>Namespace</b>	http://arianim.com/edi/sales
<b>SWCV</b>	SALES, 1.0 of arianim.com

<b>Mapping Name</b>	MM_INVOIC02_TO_INVOIC96A		
<b>Namespace</b>	http://arianim.com/edi/sales		
<b>SWCV</b>	SALES, 1.0 of arianim.com		
<b>Mapping Type</b>	Message Mapping		
<b>Imported Archive</b>			
<b>Archive Namespace</b>			

## 2.3 Service Interfaces

### 2.3.1 Sender Interfaces

### 2.3.2 Receiver Interfaces

<b>Service Interface</b>	SI_INBOUND_EDI_EDIFACT_INVOIC		
<b>Namespace</b>	http://arianim.com/edi/sales		
<b>SWCV</b>	SALES, 1.0 of arianim.com		
<b>Description</b>			
<b>Category</b>	Inbound		
<b>Interface Pattern</b>	Stateless (XI3.0-Compatible)		
<b>Operation</b>	SI_INBOUND_EDI_EDIFACT_INVOIC		
<b>Operation Pattern</b>	Normal Operation	<b>Mode</b>	Asynchronous
<b>REQUEST Message Type Namespace</b>	INVOIC96A Message Type http://arianim.com/edi/sales		

### 2.3.3 Message Types

<b>Message Type</b>	INVOIC96A		
<b>Namespace</b>	http://arianim.com/edi/sales		
<b>SWCV</b>	SALES, 1.0 of arianim.com		
<b>Description</b>			
<b>Data Type</b>	INVOIC96A		
<b>Data Type Namespace</b>	http://arianim.com/edi/sales		
<b>XML Namespace</b>	http://arianim.com/edi/sales		

### 2.3.4 Data Types

<b>Data Type Name</b>	INVOIC96A		
<b>Namespace</b>	http://arianim.com/edi/sales		
<b>SWCV</b>	SALES, 1.0 of arianim.com		
<b>Description</b>			


### 2.4 IDocs

<b>IDOC Name</b>	INVOIC.INVOIC02
<b>Namespace</b>	urn:sap-com:document:sap:idoc:messages
<b>SWCV</b>	B2B MAPPING KIT 1.0

### 3. Integration Directory

#### 3.1.1 Integrated Configurations

##### 3.1.1.1 | ERP | INVOIC.INVOIC02 | |



<b>INT CONFIGURATION</b>	ERP   INVOIC.INVOIC02	
<b>Sender Party</b>		
<b>Sender Component</b>	ERP	
<b>Sender Interface Name</b>	INVOIC.INVOIC02	
<b>Sender Int. Namespace</b>	urn:sap-com:document:sap:idoc:messages	
<b>Receiver Party</b>		
<b>Receiver Component</b>		
<b>Description</b>	Generated for dir://IFLOW/INVOICE_to_INVOIC96Consolidation 'INVOICE_to_INVOIC96Consolidation'	
<b>INBOUND PROCESSING</b>		
<b>Communication Channel</b>	FileSenderInvoic	
<b>SWCV of SND Interface</b>	B2B MAPPING KIT 1.0	
<b>Schema Validation</b>	false	
<b>Virus Scan</b>	Use Global	
<b>RECEIVERS</b>		
<b>Receiver Party</b>		
<b>Receiver Component</b>	B2BCorrelation	
<b>Condition</b>		
<b>No Receiver Found</b>	Error Message	
<b>No Receiver Party</b>		
<b>No Receiver Component</b>		
<b>RECEIVER INTERFACES</b>		
<b>Receiver Party</b>		
<b>Receiver Component</b>	B2BCorrelation	
<b>Operation</b>	INVOIC.INVOIC02	
<b>Condition</b>		
<b>Operation Mapping</b>	OM_INVOIC02_TO_INVOIC96A	
<b>Mapping Namespace</b>	http://arianim.com/edi/sales	
<b>Mapping Parameters</b>	<b>Name</b>	<b>Value</b>
<b>Rec. Interface Name</b>	SI_INBOUND_EDI_EDIFACT_INVOIC	
<b>Rec. Interface Namespace</b>	http://arianim.com/edi/sales	
<b>Quality of Service</b>	EO	
<b>OUTBOUND PROCESSING</b>		

<b>Receiver Party</b>	
<b>Receiver Component</b>	<b>B2BCorrelation</b>
<b>Rec. Interface Name</b>	SI_INBOUND_EDI_EDIFACT_INVOIC
<b>Rec. Interface Namespace</b>	http://arianim.com/edi/sales
<b>Communication Channel</b>	RETB2BCorrelation
<b>SWCV of RCV Interface</b>	SALES, 1.0 of arianim.com
<b>Schema Validation</b>	false
<b>Virus Scan</b>	Use Global
<b>Header Mapping</b>	
<b>SND Comm Party</b>	
<b>SND Comm Comp</b>	
<b>RCV Comm Party</b>	
<b>RCV Comm Comp</b>	
<b>ASSIGNED USERS</b>	
<b>ADVANCED SETTINGS</b>	
<b>Logging Use Global</b>	false
<b>Specific Config</b>	BI=0,MS=0,AM=2

### 3.1.2 Communication Channels

#### 3.1.2.1 | ERP | FileSenderInvoic

<b>Communication Channel</b>	ERP   FileSenderInvoic	
<b>Party</b>		
<b>Communication Component</b>	ERP	
<b>Communication Channel</b>	FileSenderInvoic	
<b>Master Language</b>	EN	
<b>Description</b>		
<b>Direction</b>	Sender	
<b>Transport Protocol &amp; vers</b>	File	
<b>Message Protocol &amp; vers</b>	File 3.0.0527	
<b>Adapter Engine</b>		
<b>Module Name</b>	<b>Module Type</b>	<b>Module Key</b>
CallSapAdapter	Local Enterprise Bean	0
<b>Module Parameter Name</b>	<b>Module Parameter Value</b>	
<b>Adapter Metadata</b>		
<b>Adapter Key</b>	<b>Adapter Value</b>	
file.sourceDir	E:\SAPPIFile\POPIED\orderFromSAP	
file.sourceFileName	*	
advancedSourceFileSelection	0	
file.additionalPayloads	0	
file.qualityOfService	EO	
file.pollInterval	60000	
file.processingMode	test	
file.archiveWithTimestamp	0	
emptyFileHandling	confirm	
useErrorArchiveDir	0	
errorArchiveWithTimestamp	1	



file.processingLocked	0
file.processingOrder	byName
file.type	bin
file.preprocess.executeTerminateAfterTimeout	0
file.executeTerminateAfterTimeout	0
file.EnableDuplicateHandling	0
file.DuplicateMsgThreshold	0
file.DisableChannelOnDuplicate	0
enableDynConfigSender	1
dynConfigFileName	1
dynConfigDirectory	1
dynConfigFileType	1
dynConfigFileEncoding	0
dynConfigSourceFileSize	1
dynConfigSourceFileTimestamp	0
file.adapterStatus	active
file.advanced	0
enableChunkMode	0
chunkSize	10
file.checkFileModification	0

### 3.1.2.2 | B2BCorrelation | RESTB2BCorrelation

<b>Communication Channel</b>	B2BCorrelation   RESTB2BCorrelation	
<b>Party</b>		
<b>Communication Component</b>	B2BCorrelation	
<b>Communication Channel</b>	RESTB2BCorrelation	
<b>Master Language</b>	EN	
<b>Description</b>		
<b>Direction</b>	Receiver	
<b>Transport Protocol &amp; vers</b>	HTTP	
<b>Message Protocol &amp; vers</b>	REST	
<b>Adapter Engine</b>		
<b>Module Name</b>	<b>Module Type</b>	<b>Module Key</b>
sap.com/com.sap.aii.adapter.rest.app/RESTAdapterBean	Local Enterprise Bean	rest
<b>Module Parameter Name</b>	<b>Module Parameter Value</b>	
<b>Adapter Metadata</b>		
<b>Adapter Key</b>	<b>Adapter Value</b>	
UseProxy	0	
ProxyPort	0	
UseClientCertificates	0	
UseBasicAuthentication	1	
HttpUser	bruno	
out.oauth.enabled	0	
out.oauth.nativeFlowAccessTokenSource	Direct	
out.oauth.nativeFlowUrl	https://www.concursolutions.com/net2/oauth2/accesstoken.ashx	
out.oauth.useOAuth20BasicFlowAccessTokenCaching	1	
UseXSRFToken	0	

# PI Technical Specification

ICO | ERP | INVOIC.INVOIC02

UseTargetURL	0
ConnectionTimeout	300
SocketTimeout	300
URLPattern	http://sapserv05.arianim.local:52000/igwhhttp/B2BCollection
FollowRedirects	1
out.vars_0.source	UNUSED
out.vars_1.source	UNUSED
out.vars_2.source	UNUSED
out.vars_3.source	UNUSED
out.vars_4.source	UNUSED
out.vars_5.source	UNUSED
out.vars_6.source	UNUSED
out.vars_7.source	UNUSED
out.vars_8.source	UNUSED
out.vars_9.source	UNUSED
out.operationSource.source	Manual
out.operationSource.manual	POST
out.getMapping.expression	GET
out.postMapping.expression	POST
out.putMapping.expression	PUT
out.deleteMapping.expression	DELETE
out.format.type	XML
out.format.strip	0
out.format.manualCharset	UTF-8
out.format.binContentType	application/octet-stream
out.format.convert	0
out.format.logJson	1
out.format.stripAgain	0
out.format.mangleStart	0
out.format.mangleInvalid	0
out.format.escapeSequence	—
out.format.nullAsString	1
out.format.convertXMLNameToJson	0
out.format.supportAttachments	0
out.format.multipartType	multipart/mixed
out.inFormat.type	XML
out.inFormat.charsetSource	HTTP
out.inFormat.manualCharset	UTF-8
out.inFormat.convert	0
out.inFormat.logJson	1
out.inFormat.addWrapper	0
out.inFormat.mangleStart	0
out.inFormat.mangleInvalid	0
out.inFormat.escapeSequence	—
out.inFormat.nullAsString	1
out.inFormat.convertToXML11	0
out.inFormat.convertJSONNameToXML	0
out.inFormat.binaryMessageType	Payload

# PI Technical Specification



ICO | ERP | INVOIC.INVOIC02

enableNamespaceMapping	0
out.errors_0.source	UNUSED
out.errors_0.notFlag	0
out.errors_0.emptyText	0
out.errors_0.strategy	IgnoreError
out.errors_1.source	UNUSED
out.errors_1.notFlag	0
out.errors_1.emptyText	0
out.errors_1.strategy	IgnoreError
out.errors_2.source	UNUSED
out.errors_2.notFlag	0
out.errors_2.emptyText	0
out.errors_2.strategy	IgnoreError
out.errors_3.source	UNUSED
out.errors_3.notFlag	0
out.errors_3.emptyText	0
out.errors_3.strategy	IgnoreError
out.errors_4.source	UNUSED
out.errors_4.notFlag	0
out.errors_4.emptyText	0
out.errors_4.strategy	IgnoreError
out.errors_5.source	UNUSED
out.errors_5.notFlag	0
out.errors_5.emptyText	0
out.errors_5.strategy	IgnoreError
out.errors_6.source	UNUSED
out.errors_6.notFlag	0
out.errors_6.emptyText	0
out.errors_6.strategy	IgnoreError
out.errors_7.source	UNUSED
out.errors_7.notFlag	0
out.errors_7.emptyText	0
out.errors_7.strategy	IgnoreError
out.errors_8.source	UNUSED
out.errors_8.notFlag	0
out.errors_8.emptyText	0
out.errors_8.strategy	IgnoreError
out.errors_9.source	UNUSED
out.errors_9.notFlag	0
out.errors_9.emptyText	0
out.errors_9.strategy	IgnoreError

#### 4. Mapping Specifications

##### 4.1 MM\_INVOIC02\_TO\_INVOIC96A

<b>SID</b>	<b>POP</b>
<b>Mapping Name</b>	MM_INVOIC02_TO_INVOIC96A
<b>Mapping Namespace</b>	http://arianim.com/edi/sales
<b>Mapping SWCV</b>	SALES, 1.0 of arianim.com
<b>Mapping Type</b>	Message Mapping
<b>Changed By</b>	bruno
<b>Changed On</b>	2020-06-03 12:35:09.167
<b>Person Responsible</b>	bruno
<b>Source Message Type</b>	INVOIC02
<b>Target Message Type</b>	INVOIC96A

*Imports*

```
import com.sap.aii.mapping.api.*;
import com.sap.aii.mapping.lookup.*;
import com.sap.aii.mappingtool.tf7.rt.*;
import java.io.*;
import java.lang.reflect.*;
import java.util.*;
```

*Function Libraries*

```
LocalUserFunctions http://com.sap.xi
UDFNodePool http://sap.com/xi/B2B/MappingFunctions
UDFUtilsPool http://sap.com/xi/B2B/MappingFunctions
UDFGlobalsPool http://sap.com/xi/B2B/MappingFunctions
UDFDateTimePool http://sap.com/xi/B2B/MappingFunctions
```

Target field	Mapping rule
INVOIC96A	const("")

## PI Technical Specification

ICO | ERP | INVOIC.INVOIC02 | urn:sap-com:document:sap:idoc:messages | |

INVOIC96A/S_UNB/C_S001/D_0001	const("UNOC")
INVOIC96A/S_UNB/C_S001/D_0002	const("3")
INVOIC96A/S_UNB/C_S002/D_0007	const("14")
INVOIC96A/S_UNB/C_S003/D_0007	const("14")
INVOIC96A/S_UNB/C_S004/D_0017	currentDate(Output Format:yyMMdd, calend:[First Weekday = Sunday, Minimum number of days = 1, Calendar is Lenient])
INVOIC96A/S_UNB/C_S004/D_0019	currentDate(Output Format:HHmm, calend:[First Weekday = Sunday, Minimum number of days = 1, Calendar is Lenient])
INVOIC96A/S_UNB/D_0020	formatNumber(nformat:#, separator:.) mapWithDefault(default_value:0) /INVOIC02/IDOC/EDI_DC40/DOCNUM
INVOIC96A/M_INVOIC/S_UNH	UDFGlobalsPool.initGlobalCounter const("ALC")
INVOIC96A/M_INVOIC/S_UNH/D_0062	counter(ini:1, inc:1)
INVOIC96A/M_INVOIC/S_UNH/C_S009/D_0065	const("INVOIC")
INVOIC96A/M_INVOIC/S_UNH/C_S009/D_0052	const("D")
INVOIC96A/M_INVOIC/S_UNH/C_S009/D_0054	const("96A")
INVOIC96A/M_INVOIC/S_UNH/C_S009/D_0051	const("UN")
INVOIC96A/M_INVOIC/S_UNH/C_S009/D_0057	const("EAN008")
INVOIC96A/M_INVOIC/S_BGM/C_C002	const("")
INVOIC96A/M_INVOIC/S_BGM/C_C002/D_1001	const("380")
INVOIC96A/M_INVOIC/S_BGM/D_1225	const("9")
INVOIC96A/M_INVOIC/S_DTM	formatByExample UDFNodePool.createIfHasOneOfSuchValues collapseContexts /INVOIC02/IDOC/E1EDK03/IDDAT const("001;012;016") /INVOIC02/IDOC/E1EDK03
INVOIC96A/M_INVOIC/S_DTM/C_C507/D_2005	FixValues

## PI Technical Specification

ICO | ERP | INVOIC.INVOIC02 | urn:sap-com:document:sap:idoc:messages | |

	<p>Default value: Behaviour if Lookup fails: use default value</p> <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Key</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>016</td> <td>3</td> </tr> <tr> <td>001</td> <td>35</td> </tr> <tr> <td>012</td> <td>137</td> </tr> </tbody> </table> <p>/INVOIC02/IDOC/E1EDK03/IDDAT</p>	Key	Value	016	3	001	35	012	137
Key	Value								
016	3								
001	35								
012	137								
INVOIC96A/M_INVOIC/S_DTM/C_C507/D_2380	<p>IF FixValues Default value: false Behaviour if Lookup fails: use default value</p> <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Key</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>012</td> <td>true</td> </tr> </tbody> </table> <p>/INVOIC02/IDOC/E1EDK03/IDDAT</p> <p>THEN currentDate(Output Format:yyyyMMdd, calend:[First Weekday = Sunday, Minimum number of days = 1, Calendar is Lenient])</p> <p>ELSE /INVOIC02/IDOC/E1EDK03/DATUM</p>	Key	Value	012	true				
Key	Value								
012	true								
INVOIC96A/M_INVOIC/S_DTM/C_C507/D_2379	const("102")								
INVOIC96A/M_INVOIC/G_SG1	<p>formatByExample UDFNodePool.createIfHasOneOfSuchValues collapseContexts /INVOIC02/IDOC/E1EDK02/QUALF</p> <p>const("001;002;012") /INVOIC02/IDOC/E1EDK02</p>								
INVOIC96A/M_INVOIC/G_SG1/S_RFF/C_C506/D_1153	<p>FixValues Default value: Behaviour if Lookup fails: use default value</p> <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Key</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>002</td> <td>VN</td> </tr> <tr> <td>001</td> <td>ON</td> </tr> </tbody> </table>	Key	Value	002	VN	001	ON		
Key	Value								
002	VN								
001	ON								

## PI Technical Specification

ICO | ERP | INVOIC.INVOIC02 | urn:sap-com:document:sap:idoc:messages | |

	<table border="1" style="margin-left: 20px;"> <tr> <td style="width: 30px;">012</td> <td style="width: 30px;">DQ</td> </tr> </table> /INVOIC02/IDOC/E1EDK02/ <b>QUALF</b>	012	DQ						
012	DQ								
INVOIC96A/M_INVOIC/G_SG1/S_DTM	UDFNodePool.createIfHasValue mapWithDefault(default_value:) /INVOIC02/IDOC/E1EDK02/ <b>DATUM</b>								
INVOIC96A/M_INVOIC/G_SG1/S_DTM/C_C507	const("")								
INVOIC96A/M_INVOIC/G_SG1/S_DTM/C_C507/D_2005	const("171")								
INVOIC96A/M_INVOIC/G_SG1/S_DTM/C_C507/D_2379	const("102")								
INVOIC96A/M_INVOIC/G_SG2	UDFNodePool.createIfHasOneOfSuchValues formatByExample collapseContexts /INVOIC02/IDOC/E1EDKA1/ <b>PARVW</b> /INVOIC02/IDOC/ <b>E1EDKA1</b> const("AG;WE;LF")								
INVOIC96A/M_INVOIC/G_SG2/S_NAD/D_3035	FixValues Default value: Behaviour if Lookup fails: use default value <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Key</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>AG</td> <td>BY</td> </tr> <tr> <td>LF</td> <td>SE</td> </tr> <tr> <td>WE</td> <td>DP</td> </tr> </tbody> </table> mapWithDefault(default_value:) /INVOIC02/IDOC/E1EDKA1/ <b>PARVW</b>	Key	Value	AG	BY	LF	SE	WE	DP
Key	Value								
AG	BY								
LF	SE								
WE	DP								
INVOIC96A/M_INVOIC/G_SG2/S_NAD/C_C082	UDFNodePool.createIfHasValue mapWithDefault(default_value:) /INVOIC02/IDOC/E1EDKA1/ <b>PARTN</b>								
INVOIC96A/M_INVOIC/G_SG2/S_NAD/C_C080	UDFNodePool.createIfHasValue mapWithDefault(default_value:) /INVOIC02/IDOC/E1EDKA1/ <b>NAME1</b>								
INVOIC96A/M_INVOIC/G_SG2/S_NAD/C_C059	UDFNodePool.createIfHasValue mapWithDefault(default_value:)								

## PI Technical Specification

ICO | ERP | INVOIC.INVOIC02 | urn:sap-com:document:sap:idoc:messages | |

	/INVOIC02/IDOC/E1EDKA1/ <b>STRAS</b>
INVOIC96A/M_INVOIC/G_SG2/G_SG3	UDFNodePool.createIfHasOneOfSuchValues mapWithDefault(default_value:) /INVOIC02/IDOC/E1EDKA1/ <b>PARVW</b> const("AG;RS")
INVOIC96A/M_INVOIC/G_SG2/G_SG3/S_RFF	const("")
INVOIC96A/M_INVOIC/G_SG2/G_SG3/S_RFF/C_C506/D_1153	const("VA")
INVOIC96A/M_INVOIC/G_SG2/G_SG3/S_RFF/C_C506/D_1154	<pre> IF UDFUtilsPool.hasOneOfSuchValues mapWithDefault(default_value:) /INVOIC02/IDOC/E1EDKA1/<b>PARVW</b> const("RS") THEN formatByExample UDFNodePool.simpleUseOneAsMany mapWithDefault(default_value:) /INVOIC02/IDOC/E1EDK01/<b>EIGENUINR</b> /INVOIC02/IDOC/<b>E1EDKA1</b> mapWithDefault(default_value:) /INVOIC02/IDOC/E1EDKA1/<b>PARVW</b> ELSE IF UDFUtilsPool.hasOneOfSuchValues mapWithDefault(default_value:) /INVOIC02/IDOC/E1EDKA1/<b>PARVW</b> const("AG") THEN formatByExample UDFNodePool.simpleUseOneAsMany mapWithDefault(default_value:) /INVOIC02/IDOC/E1EDK01/<b>KUNDEUINR</b> /INVOIC02/IDOC/<b>E1EDKA1</b> mapWithDefault(default_value:) /INVOIC02/IDOC/E1EDKA1/<b>PARVW</b>                     </pre>



## PI Technical Specification

ICO | ERP | INVOIC.INVOIC02 | urn:sap-com:document:sap:idoc:messages | |

INVOIC96A/M_INVOIC/G_SG6	UDFNodePool.createIfExistsAndHasValue E1EDK04/ <b>MWSKZ</b> context: /INVOIC02/IDOC
INVOIC96A/M_INVOIC/G_SG6/S_TAX/D_5283	const("7")
INVOIC96A/M_INVOIC/G_SG6/S_TAX/C_C241	const("")
INVOIC96A/M_INVOIC/G_SG6/S_TAX/C_C241/D_5153	const("VAT")
INVOIC96A/M_INVOIC/G_SG6/S_TAX/C_C243	createIf exists /INVOIC02/IDOC/E1EDK04/ <b>MSATZ</b>
INVOIC96A/M_INVOIC/G_SG6/S_TAX/C_C243/D_5278	formatNumber(nformat:#, separator:.) /INVOIC02/IDOC/E1EDK04/ <b>MSATZ</b>
INVOIC96A/M_INVOIC/G_SG7	UDFNodePool.createIfHasValue /INVOIC02/IDOC/E1EDK01/ <b>CURCY</b>
INVOIC96A/M_INVOIC/G_SG7/S_CUX/C_C504_1	const("")
INVOIC96A/M_INVOIC/G_SG7/S_CUX/C_C504_1/D_6347	const("2")
INVOIC96A/M_INVOIC/G_SG7/S_CUX/C_C504_1/D_6343	const("4")
INVOIC96A/M_INVOIC/G_SG7/S_CUX/D_5402	UDFNodePool.passIfHasValue /INVOIC02/IDOC/E1EDK01/ <b>WKURS</b>
INVOIC96A/M_INVOIC/G_SG25/S_LIN/D_1082	formatNumber(nformat:#, separator:.) mapWithDefault(default_value:0) /INVOIC02/IDOC/E1EDP01/ <b>POSEX</b>
INVOIC96A/M_INVOIC/G_SG25/S_LIN/C_C212	createIf UDFNodePool.contextHasOneOfSuchValues E1EDP19/ <b>QUALF</b> context: /INVOIC02/IDOC/E1EDP01 const("001;003")
INVOIC96A/M_INVOIC/G_SG25/S_LIN/C_C212/D_7140	IF UDFNodePool.contextHasOneOfSuchValues E1EDP19/ <b>QUALF</b> context: /INVOIC02/IDOC/E1EDP01 const("003") THEN UDFNodePool.deleteSuppress UDFNodePool.assignValueByCondition E1EDP19/ <b>QUALF</b> context: /INVOIC02/IDOC/E1EDP01

# PI Technical Specification

ICO | ERP | INVOIC.INVOIC02 | urn:sap-com:document:sap:idoc:messages | |

	<pre> const("003") E1EDP19/IDTNR context: /INVOIC02/IDOC/E1EDP01 ELSE UDFNodePool.deleteSuppress UDFNodePool.assignValueByCondition E1EDP19/QUALF context: /INVOIC02/IDOC/E1EDP01 const("001") E1EDP19/IDTNR context: /INVOIC02/IDOC/E1EDP01                     </pre>
INVOIC96A/M_INVOIC/G_SG25/S_LIN/C_C212/D_7143	<pre> IF UDFNodePool.contextHasOneOfSuchValues E1EDP19/QUALF context: /INVOIC02/IDOC/E1EDP01 const("003") THEN const("EN") ELSE const("IN")                     </pre>
INVOIC96A/M_INVOIC/G_SG25/S_LIN/C_C829	<pre> UDFNodePool.createIfHasValue /INVOIC02/IDOC/E1EDP01/UEPOS                     </pre>
INVOIC96A/M_INVOIC/G_SG25/S_LIN/C_C829/D_5495	<pre> const("1")                     </pre>
INVOIC96A/M_INVOIC/G_SG25/S_QTY	<pre> IF UDFUtilsPool.hasValue /INVOIC02/IDOC/E1EDP01/MENGE THEN const("")                     </pre>
INVOIC96A/M_INVOIC/G_SG25/S_QTY/C_C186/D_6063	<pre> const("47")                     </pre>
INVOIC96A/M_INVOIC/G_SG25/S_QTY/C_C186/D_6060	<pre> mapWithDefault(default_value:0) /INVOIC02/IDOC/E1EDP01/MENGE                     </pre>
INVOIC96A/M_INVOIC/G_SG25/S_DTM	<pre> formatByExample UDFNodePool.createIfHasOneOfSuchValues collapseContexts /INVOIC02/IDOC/E1EDP01/E1EDP03/IDDAT const("001") /INVOIC02/IDOC/E1EDP01/E1EDP03                     </pre>

# PI Technical Specification

ICO | ERP | INVOIC.INVOIC02 | urn:sap-com:document:sap:idoc:messages | |

INVOIC96A/M_INVOIC/G_SG25/S_DTM/C_C507/D_2005	const("35")						
INVOIC96A/M_INVOIC/G_SG25/S_DTM/C_C507/D_2379	const("102")						
INVOIC96A/M_INVOIC/G_SG25/G_SG26	UDFNodePool.createIfHasOneOfSuchValues formatByExample collapseContexts /INVOIC02/IDOC/E1EDP01/E1EDP26/ <b>QUALF</b> /INVOIC02/IDOC/E1EDP01/ <b>E1EDP26</b> const("002;003")						
INVOIC96A/M_INVOIC/G_SG25/G_SG26/S_MOA/C_C516/D_5025	FixValues Default value: 011 Behaviour if Lookup fails: use default value <table border="1"> <thead> <tr> <th>Key</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>003</td> <td>203</td> </tr> <tr> <td>002</td> <td>66</td> </tr> </tbody> </table> /INVOIC02/IDOC/E1EDP01/E1EDP26/ <b>QUALF</b>	Key	Value	003	203	002	66
Key	Value						
003	203						
002	66						
INVOIC96A/M_INVOIC/G_SG25/G_SG28	UDFNodePool.createIfHasOneOfSuchValues formatByExample collapseContexts /INVOIC02/IDOC/E1EDP01/E1EDP26/ <b>QUALF</b> /INVOIC02/IDOC/E1EDP01/ <b>E1EDP26</b> const("001;006")						
INVOIC96A/M_INVOIC/G_SG25/G_SG28/S_PRI/C_C509	const("")						
INVOIC96A/M_INVOIC/G_SG25/G_SG28/S_PRI/C_C509/D_5125	FixValues Default value: Behaviour if Lookup fails: use default value <table border="1"> <thead> <tr> <th>Key</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>006</td> <td>AAA</td> </tr> <tr> <td>001</td> <td>AAB</td> </tr> </tbody> </table> /INVOIC02/IDOC/E1EDP01/E1EDP26/ <b>QUALF</b>	Key	Value	006	AAA	001	AAB
Key	Value						
006	AAA						
001	AAB						
INVOIC96A/M_INVOIC/G_SG25/G_SG28/S_PRI/C_C509/D_5284	SplitByValue(type:each value) UDFNodePool.simpleUseOneAsMany /INVOIC02/IDOC/E1EDP01/ <b>PEINH</b>						

## PI Technical Specification

ICO | ERP | INVOIC.INVOIC02 | urn:sap-com:document:sap:idoc:messages | |

	/INVOIC02/IDOC/E1EDP01/ <b>E1EDP26</b>								
INVOIC96A/M_INVOIC/G_SG25/G_SG28/S_PRI/C_C509/D_6411	SplitByValue(type:each value) UDFNodePool.simpleUseOneAsMany /INVOIC02/IDOC/E1EDP01/ <b>PMENE</b> /INVOIC02/IDOC/E1EDP01/ <b>E1EDP26</b>								
INVOIC96A/M_INVOIC/G_SG25/G_SG29	UDFNodePool.createIfHasOneOfSuchValues E1EDP02/ <b>QUALF</b> context: /INVOIC02/IDOC/E1EDP01 const("001;002;012")								
INVOIC96A/M_INVOIC/G_SG25/G_SG29/S_RFF	const("")								
INVOIC96A/M_INVOIC/G_SG25/G_SG29/S_RFF/C_C506	const("")								
INVOIC96A/M_INVOIC/G_SG25/G_SG29/S_RFF/C_C506/D_1153	FixValues Default value: Behaviour if Lookup fails: use default value <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Key</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>002</td> <td>VN</td> </tr> <tr> <td>001</td> <td>ON</td> </tr> <tr> <td>012</td> <td>DQ</td> </tr> </tbody> </table> /INVOIC02/IDOC/E1EDP01/E1EDP02/ <b>QUALF</b>	Key	Value	002	VN	001	ON	012	DQ
Key	Value								
002	VN								
001	ON								
012	DQ								
INVOIC96A/M_INVOIC/G_SG25/G_SG29/S_DTM	UDFNodePool.createIfHasValue mapWithDefault(default_value): /INVOIC02/IDOC/E1EDP01/E1EDP02/ <b>DATUM</b>								
INVOIC96A/M_INVOIC/G_SG25/G_SG29/S_DTM/C_C507	const("")								
INVOIC96A/M_INVOIC/G_SG25/G_SG29/S_DTM/C_C507/D_2005	const("171")								
INVOIC96A/M_INVOIC/G_SG25/G_SG29/S_DTM/C_C507/D_2379	const("102")								
INVOIC96A/M_INVOIC/G_SG25/G_SG30	IF and UDFUtilsPool.hasValue /INVOIC02/IDOC/E1EDP01/ <b>NTGEW</b> UDFUtilsPool.hasValue /INVOIC02/IDOC/E1EDP01/ <b>GEWEI</b> THEN								

## PI Technical Specification

ICO | ERP | INVOIC.INVOIC02 | urn:sap-com:document:sap:idoc:messages | |

	const("")
INVOIC96A/M_INVOIC/G_SG25/G_SG30/S_MEA	const("")
INVOIC96A/M_INVOIC/G_SG25/G_SG30/S_MEA/D_6311	const("AAI")
INVOIC96A/M_INVOIC/G_SG25/G_SG30/S_MEA/C_C502	const("")
INVOIC96A/M_INVOIC/G_SG25/G_SG30/S_MEA/C_C502/D_6313	const("AAA")
INVOIC96A/M_INVOIC/G_SG25/G_SG30/S_MEA/C_C174	const("")
INVOIC96A/M_INVOIC/G_SG25/G_SG30[1]	IF and UDFUtilsPool.hasValue /INVOIC02/IDOC/E1EDP01/ <b>BRGEW</b> UDFUtilsPool.hasValue /INVOIC02/IDOC/E1EDP01/ <b>GEWEI</b> THEN const("")
INVOIC96A/M_INVOIC/G_SG25/G_SG30[1]/S_MEA	const("")
INVOIC96A/M_INVOIC/G_SG25/G_SG30[1]/S_MEA/D_6311	const("AAI")
INVOIC96A/M_INVOIC/G_SG25/G_SG30[1]/S_MEA/C_C502	const("")
INVOIC96A/M_INVOIC/G_SG25/G_SG30[1]/S_MEA/C_C502/D_6313	const("AAB")
INVOIC96A/M_INVOIC/G_SG25/G_SG30[1]/S_MEA/C_C174	const("")
INVOIC96A/M_INVOIC/G_SG25/G_SG33	formatByExample UDFNodePool.createIfHasOneOfSuchValues collapseContexts /INVOIC02/IDOC/E1EDP01/E1EDP04/ <b>MWSKZ</b> const("VAT") /INVOIC02/IDOC/E1EDP01/ <b>E1EDP04</b>
INVOIC96A/M_INVOIC/G_SG25/G_SG33/S_TAX/D_5283	const("7")
INVOIC96A/M_INVOIC/G_SG25/G_SG33/S_TAX/C_C241	const("")
INVOIC96A/M_INVOIC/G_SG25/G_SG33/S_TAX/C_C241/D_5153	const("VAT")
INVOIC96A/M_INVOIC/G_SG25/G_SG33/S_TAX/C_C243	const("")
INVOIC96A/M_INVOIC/G_SG25/G_SG34	UDFNodePool.createIfHasOneOfSuchValues

# PI Technical Specification

ICO | ERP | INVOIC.INVOIC02 | urn:sap-com:document:sap:idoc:messages | |

	/INVOIC02/IDOC/E1EDP01/E1EDPA1/ <b>PARVW</b> const("WE")						
INVOIC96A/M_INVOIC/G_SG25/G_SG34/S_NAD/D_3035	FixValues Default value: Behaviour if Lookup fails: throw exception <table border="1"> <thead> <tr> <th>Key</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>WE</td> <td>CN</td> </tr> <tr> <td>key2</td> <td>value2</td> </tr> </tbody> </table> /INVOIC02/IDOC/E1EDP01/E1EDPA1/ <b>PARVW</b>	Key	Value	WE	CN	key2	value2
Key	Value						
WE	CN						
key2	value2						
INVOIC96A/M_INVOIC/G_SG25/G_SG34/S_NAD/C_C082	const("")						
INVOIC96A/M_INVOIC/G_SG25/G_SG34/S_NAD/C_C082/D_3055	const("10")						
INVOIC96A/M_INVOIC/G_SG25/G_SG34/S_NAD/C_C080	createlf exists /INVOIC02/IDOC/E1EDP01/E1EDPA1/ <b>NAME1</b>						
INVOIC96A/M_INVOIC/G_SG25/G_SG34/S_NAD/C_C059	createlf exists /INVOIC02/IDOC/E1EDP01/E1EDPA1/ <b>STRAS</b>						
INVOIC96A/M_INVOIC/G_SG25/G_SG34/S_LOC	createlf exists /INVOIC02/IDOC/E1EDP01/E1EDPA1/ <b>ABLAD</b>						
INVOIC96A/M_INVOIC/G_SG25/G_SG34/S_LOC/D_3227	const("11")						
INVOIC96A/M_INVOIC/G_SG25/G_SG34/S_LOC/C_C517	const("")						
INVOIC96A/M_INVOIC/G_SG25/G_SG38/G_SG40/S_PCD/C_C501	const("")						
INVOIC96A/M_INVOIC/S_UNSD_0081	const("S")						
INVOIC96A/M_INVOIC/S_CNT	createlf stringEquals E1EDS01/ <b>SUMID</b> context: /INVOIC02/IDOC const("001")						
INVOIC96A/M_INVOIC/S_CNT/C_C270/D_6069	const("2")						
INVOIC96A/M_INVOIC/G_SG48	UDFNodePool.createlfHasOneOfSuchValues formatByExample						

# PI Technical Specification



ICO | ERP | INVOIC.INVOIC02 | urn:sap-com:document:sap:idoc:messages | |

	collapseContexts /INVOIC02/IDOC/E1EDS01/SUMID /INVOIC02/IDOC/E1EDS01 const("005;008;010;011;017;020;029")												
INVOIC96A/M_INVOIC/G_SG48/S_MOAC_C516/D_5025	FixValues Default value: Behaviour if Lookup fails: use default value <table border="1" data-bbox="913 491 1055 715"> <thead> <tr> <th>Key</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>010</td> <td>125</td> </tr> <tr> <td>020</td> <td>131</td> </tr> <tr> <td>005</td> <td>124</td> </tr> <tr> <td>029</td> <td>131</td> </tr> <tr> <td>011</td> <td>77</td> </tr> </tbody> </table> /INVOIC02/IDOC/E1EDS01/SUMID	Key	Value	010	125	020	131	005	124	029	131	011	77
Key	Value												
010	125												
020	131												
005	124												
029	131												
011	77												
INVOIC96A/M_INVOIC/S_UNT/D_0074	const("\$B2B_SEG_COUNTER")												
INVOIC96A/M_INVOIC/S_UNT/D_0062	counter(ini:1, inc:1)												
INVOIC96A/S_UNZ/D_0036	count /INVOIC02/IDOC												